

Your strategic supplier for critical cleaning

MOPPING SYSTEMS, SIMPLE AND EFFECTIVE

Excellence in cleaning since 1984

Multi Surface Mop Head Styles

icronova mops are ideal for cleaning many surfaces in cleanroom and controlled environments.

Whether laying down disinfectant or cleaning to a dry finish, Micronova has designs and fabrics to address the various cleaning scenarios from facility walls and floors to stainless panels or soft walls found in many ISO 5-9 areas and controlled environments.

The range of fabrics, including Polyester (smooth or textured), PolyMesh[™] for scrubbing, Microfiber and MegaTex[™] for absorbency and cleaning and other low-linting materials further address various mopping applications. All flat head mop adapters have 360° swivel.



M-Zone[®] FlatMop[™] Covers are a slip-on style with a tab removal flat head mop cover that is ideal for cleaning and sanitizing all surfaces and equipment in the cleanroom.

SnapMop™ Covers are a lightweight, snap-on mop cover with urethane foam interiors, designed for effective cleaning and sanitizing in the cleanroom. Snaps help to secure use with the LyoTool[™] and Tank Tool[™].

PocketMop™ Covers are economical and versatile. This snap-on flat head mop cover is ideal for cleaning and sanitizing surfaces and equipment in controlled environments.

SlimLine™ Mop Covers elasticized flat head mop covers easily and securely attach to SlimLine[™] Mop Adapter frame. A simplified single ply, no foam version is also available for quick wipe downs.

NovaSnap[™] Mop Head The snap on and release function for this polyester mop head produces a simple lightweight system for everyday mopping in production or the cleanroom. The mop works with a range of wringers and fits the plastic Slimline[™] Mop Adapter.





SlideMop™ Flat Head Mop Frame and Cover is a simple, effective mop system featuring sturdy, collapsible plates that easily slide into a SlideMop[™] quilted polyester cover. The mop locks into place with an effortless downward push.

T-Mop[™] Cleanroom Covers are rounded, covered sponges with snaps that fit over the 180°swivel T-Mop[™] Adapter to easily roll down walls and soft walls as well as clean awkward corners, tight spaces and under equipment. The mop covers are available with an optional thicker foam layer to hold more disinfectant and facilitate wringing.

Slim T[™] Mop Covers are rounded, covered sponges that slip onto the T-Mop[™] Adapter or Window Washing Tool to easily roll down walls and soft walls as well as clean awkward corners, tight spaces and under equipment.

Specialty Multi Surface Mop Adapters

NovaMop[™] Self-Wringing A Self-wringing mop adapter designed to be used with M-Zone® FlatMop[™], SnapMop[™], and PocketMop[™] without the need of a wringer. (Use with STA plastic threaded handles)







LyoTool[™] Dual plate mop adapter. Use with SnapMop[™] or PocketMop[™] Covers to clean top and bottom of shelves.

Window Washing Tool T-Mop[™] adapter and squeegee combination. Use with Slim T[™] Mop Covers to clean the surface, then squeegee to a dry finish.

Nove

Cove N Curve™ Mop Adapter turns a traditional flat mop into a uniquely shaped cleaning surface, addressing coved joints, exterior of

pipes, the interior of drums and small tanks and other curved surfaces. Use with SnapMop[™] and PocketMop[™] Covers for best results. Tank Tool[™] Mop Adapter plates flex to create a custom curve, matching the surface of tank and cylinder interiors or exteriors. This tool is the perfect frame for Micronova SnapMop[™] and PocketMop[™] series covers.

SalesInfo@micronova-mfg.com www.micronova-mfg.com

Multi Surface Flat Head Mops

		,	Cle	eaning S	Surface	Fabr	Cleaning Surface Fabrics									
Flat He	ead N	Чо	рC	Cov	ver	ofiber	/ /		/ /			/				
						S S		AS: MI	Internation in the second seco	TM	Bradeshie Polying	Polytop	in wover. PWA	. / .	HEM	10 TM
								Wanning	in the state of th	apoly	INSOFD	n.Poly.	woven.	S. NOVO	, Mat	cru.
		Len	gths Av	ailable	(XX)		20°10 K	NOVE	i oth No.	ured.P	, ded Me	on non	chame		, MD	Interio
		9 in			18 in		stern	Non	SMOU	(extu	Braile	Monthe	lene	netfor	408	un yester Pad No Foam
Product	Available	· .	(30.5		(46	Poly	. anio	uester	" wester)ester	" (miny	· uprop		× / ×	1211e	rester roam
Number	Sterile	cm)	cm)	cm)	cm)	8010	BOIN	Boys	6012	Boys	8012	6012.	Derr	Ale.	60	, M.
M-Zone® Fla	tMop™	Cove	ers													
MZSM56-xxS	•	٠	•		•			•						•		
MZSM6-xxNS	•	•						•								•
MZSM6AA-xxS		•			•	Blue								•		
MZSM620-xxS	•						•							•		
MZSM11-xxS	•	•	•	•	18 & 24				•							•
MZSM11-xxNS	•	•	•	•	•				•							•
MZSM617-xxNS		•	•										•			•
MZSM68-xxS	•	•	•							•				•		
SnapMop™ (jovers		1	1		1				1		1			1	
MZSM11-xx	•		•		•				•					•		
MZSM56-XX	•	•	•		•			•						•		
MZSM61-XX			•		•						•			•		
MZSM62-XX		•										•		•		
MZSM620-XX	•	•	•		•		•			-				•		
MZSM68-xx MZSM6AA-xx	•	•	•		•	Blue				•				•		
MZSM6AW-XX		•	•		•	White								•		
PocketMop"	Covore	-	•		•	wille								•		
)							-							
PKM11-xx PKM20-xx	•		•	•	•		•		•					•		
PKM20-XX PKM6-XX	•		•	•	•		•	•						•		
PKMAA-XX	-		•		•	Blue		-						•		
PKMAW-XX			•		•	White								•		
PKMAA8-xx			•		•	Blue				•				•		
SlimLine [™] N	Ion Cove	are				2100						-				
SLSC6-XX	•	•	•		•			•						•		
SMC6-xx	•	•	•		18, 24 & 30			•								•
SMCAA-xx		•	•		•	Blue										•
NovaSnap [™]	Mop He	ad	1										1			
MZNS6-14	•		•					•						•		
SlideMop™ (Covers		1	1	1		1	1		1						
MZCR63-16	•			•				•							•	





PolySorb™ Textured Polyester

"an

10



PolyMesh™ Braided Mesh over Polyester



Microfiber Polyester/ Nylon



NovaPoly™ Smooth Polyester



MegaTex™ Textured Polyamide



Build Your Flat Mop System


1. Cover Choose a Mop Cover Style and Size 2. Adapter Choose a Mop Adapter (match size)



Use With Handles

/.

1185 1



Flat Head Mop Adapter Hardware

		Len	gths Av	ailable	(XX)		readed						
		Constr	uction	n Handle Attachment			14 in	16 in	n 18 in	rail	11855 mect	ICTIN MIT	The
Product Number	Description	Plate	Swivel Joint	Quick Disconnect	Acme Threaded	9 in (23 cm)	(30.5 cm)		(46 cm)	SSUSU	Hess Steel Hes	ndie sc Theoded Aunituur Handle	THEODER .
QDSL-XX	Stainless Steel, SlimLine™ Mop	Stainless Steel	Polyketone	•		•	•		•	•			
QPSL- XX	Plastic SlimLine [™] Mop Adapter	Polypropylene	Polypropylene		•	•	•	•	•		•	•	
QPNMSW-XX	Self Wringing Mop Adapter	Polypropylene	Polypropylene		•		•		•		•	•	
QDBPxx-02	LyoTool [™] Adjust 2 - 3in	Acetal		•		•	•		•	•			
QDBP xx -03	LyoTool [™] Adjust 3 - 4-1/2in	Acetal		•			•	•	•				
QDBPxx-04	LyoTool [™] Adjust 4 - 6in	Acetal		•			•		•				
QPBP xx -03	LyoTool [™] Adjust 3 - 4-1/2in	Acetal			•		•		•		•	•	
QPCVT- xx*	Cove N Curve [™] Horizontal Mop Adapter	PTFE	Polyketone		•		•	•	•		•		
QPRCVT-xxB *	Cove N Curve [™] Reversed Vertical Mop Adapter	PTFE	Polyketone		•	•	•				•		
QDSLTT-14	Flexible Exterior Stainless Steel Tank Tool™	Flexible Stainless Steel	Acetal	•			•			•			
QPSLRTT-14	Plastic Interior Tank Tool [™]	HDPE	Polyketone		•		•				•		
QPSM-16	SlideMop [™] Adapter	Stainless Steel	Polyketone		•			•			•	•	
QSM-16	SlideMop [™] Adapter	Polypropylene	Polypropylene					•			•	•	

Adapter Plate

*Additional configurations available.

Multi	Surfa	ce	т-	Mc	°p	[™] St	yle	S Jugnide:		eaning S				erior Layer
		Leng	gths Ava	ailable	(XX)		20% · 1	NOVE	i. I. NO	iat odi.Pr	112 10	IrWe	roam	>/ /
Product Number	Available Sterile	(26	<mark>12</mark> in (30.5 cm)		<mark>18</mark> in (46 cm)	80% Poly	ster 20% Pr	Polyester	HEGATENT NO	Polying Polying	Hcohol,	REFORM	lethane foarn the No Foarn the	a a a a a a a a a a a a a a a a a a a
T-Mop™ Co	overs					1								
T1-xx				•	•					•	•			10
T11- xx	•			•	•				•		•			
T20-xx	•			•	•		•				•			1
T2012-xx	•			•	•		•					•		20
T6- xx	•	•						•			•			
T612-xx	•			•	•			•				•		
TAA- xx		•			•	Blue					•			
TAA12-xx				•	•	Blue						•		
TMC6-xx				•				•					•	
Slim T [™] Mo	op Covers													
T11-xxS	•	•	•	•	•				•		•		(NS)*	
T1112-xxS	•			•	•				•			•	· · ·	Microfiber Thick
T6-xxS	•	•	•	•	•						•		(NS)*	Slim T™ Mop
T612- xx S	•			•	•			•				•		Cover on Window
TAA-xxS			•	•	•	Blue					•			Washing Tool
TAA12-xxS				•	•	Blue						•		
TAW-xxS					•	White					•			

*available with No Sponge

Build Your T-Mop™ System

1. Cover Choose a Style & Size

- 2. Adapter Choose and match size
- 3. Handle Add a Handle (see Micronova Handle TDS or website for additional information)



SSUSAMES Steel Handles Use With (Handles) T-Mop[™] Style Hardware Lengths Available (XX) **Handle Attachment** 10 in 12 in 14 in 18 in (30.5 (35.5 (46 Quick (26 Product Swivel Handle Acme Disconnect Threaded Number Description Attachment cm) cm) cm) cm) Mop Bar Joint T-Mop[™] Adapter QDT-XX Stainless Steel Acetal • Stainless Steel • . • . T-Mop™ Adapter QDST-XX Acetal Acetal • Stainless Steel • • • T-Mop[™] Adapter QPT-**XX** Stainless Steel Acetal Acetal • • • • • QDWT-xx Window Washing Tool Stainless Steel Stainless Steel • • • • QPWT-xx Window Washing Tool Stainless Steel Acetal • • • ٠



String Style Floor Mops

Polyester, Microfiber, Polycellulose, and other low linting mop materials address the various protocols found in industries from Electronics to Food Processing and Pharmaceutical production. These mops are effective at laying down disinfectant as well as cleaning to a dry finish.

Cleanroom, Ultraclean, Polyester Knits



MicroDenier NovaKnit[™] Mop Finely ribbed microdenier tubular knit mop. Excellent absorbency with low linting properties. Launderable, Re-usable.

High Absorbency



M-Zone[®] MegaSorb[™] Tufted Microfiber tubular mop with nylon filaments to provide more abrasive cleaning.



NovaKnit[™] Ribbed Mop

A looped ribbed tubular knit mop. The Polyester and Polyester/Nylon Blend mops are excellent for laying down disinfectant solution, cleaning, or damp mopping.

J-Zone™ MegaSorb™

Absorbent tufted Microfiber tubular looped mop for fine dry, damp or wet mopping.



Absorbency with Economy



PharmaPly™

Non-woven Polyester/ cellulose mop with twisted strands for efficient mopping. Single use.



NovaSorb[™]

Flat Polyester/cellulose blend strand mop for added absorbency in cleaning. Single use.

Absorbent and Fast Drying



PVA MicroMop™

PolyVinyl Alcohol non-woven mop with an absorbency of 600% and drying time of 10-12 seconds.



NovaLite[™] MicroMop[™] An absorbent synthetic chamois flat strand mop

for fine clean and finish.

String Mop Frame Adapter and Stainless Steel Handle

Full Length Plastic Adapter Handles





MOPPING SYSTEMS, SIMPLE AND EFFECTIVE

String Style Floor Mops

String	Style	م M	on	Ho	ads	Material of Construction								
Sting	Styt		νp		uus							iconol.	/ /	
			Weight			ter	niet .	100%	wion of		05 ⁸ 00 ¹¹	Martheonol. Seen Norshites	Chamois	
Product Number	Available Irradiated	10 oz (284 grams)	12 oz (340 grams)	16 oz (454 grams)	Color	Polyester	eniet Polyester	Polyester	NICOTIDE NICOTIDE	Polycellul	PUA: POW	Novalite's	cramis	
Cleanroom	Jitraclea	an Pol	yeste	r Knit	Mops									
MD51-31-12w	•		•		White	•								
MD51-31-16w	•			•	White	•								
MP52-31-12w	•		•		White		•							
MP52-31-16w	•			•	White		•							
MP53-31-12w	•		•		White			•						
MP53-31-16w	•			•	White			•						
High Absorb	ency M	ops												
MZCRMS11-12			•		White				•					
MZCRMS-10 (JZ large case)	•	•			Blue				•					
Absorbency	with Ec	onom	I y											
PPM4-MM15	•		•		White					•				
CRMS-LB	•	•			Light Blue					•				
JZCRMS-WH		•			White					•				
Absorbent a	nd Fast	Dryin	g											
CRM-1			•		Yellow						•			
CRM-2			•		Orange							•		

String Mop Hardware

		Ada									
Product Number	Description	Mop Bar	Handle Attachment	Handle Included	Quick Disconnect Handle Attachment						
String Mop Adapter											
QDMH-1*	MicroMop™ Adapter	Polypropylene	Stainless Steel		•						
MH-1	MicroMop [™] Adapter and Handle	Polypropylene		Fiberglass							
MHC-1	Clamp Mop Adapter and Handle	Polypropylene		Fiberglass							

*Use with SSU series handles

See other mini catalogs for related products



www.micronova-mfg.com/ product-info/#mini-catalog

Micronova Manufacturing, Inc. 3431 W. Lomita Boulevard Torrance, CA 90505-5010 USA Tel: **310/784-6990** Fax: **310/784-6980** SalesInfo@micronova-mfg.com www.micronova-mfg.com

