

## Sterile Bin Liner, 4 MIL

### Product Specification

Product Name:	Sterile Bin Liner, 4 MIL
Manufacturer Part Numbers:	BL4-1620IRBB, BL4-3440IRBB, BL4-4060IRBB, BL4-40TRIR, BL4-40TRIRB, BL4-40TRIRBB, BL4-6035IRBB
Description:	Irradiated polyethylene liners from FDA compliant LDPE. May be used for material disposal, disposal or transfer or as a lightweight protective equipment cover Manufactured at Micronova's Torrance, CA facility. Designed for clean and controlled environments.
Manufacturing Standards:	ISO 9001 Certified Facility 10-6 Sterility Assurance Level per AAMI TIR33:2005
Physical Data:	
Materials of Construction:	
Material:	Clear Low Density Polyethylene. Meets FDA Regulation 21CFR177.1520.3.1
Dimensions:	
Thickness	4 Mil
Open Width x Height	BL4-1620IRBB, 16 in x20 in (40 cm x50 cm)
Gusset dimensions if applicable	No gusset BL4-3440IRBB; 34 in x 40 in (85 cm x 100 cm) Gusset 20 in x 14 in (50 cm x 35 cm) BL4-4060IRBB; 40 in x 60 in (100 cm x 150 cm) Gusset 23 in x 17 in (58 cm x 43 cm) BL4-40TRIR, -40TRIRB, -40TRIRBB 40 in x 48 in (100 cm x 120 cm) Gusset 23 in x 17 in (58 cm x 43 cm) BL4-6035 IRBB; 60 in x 35 in (152 cm x 89 cm) Gusset 35 in x 25 in
For Use with: (as needed)	BL4-3440 series use BLSSH-1515 BL4-40TR and BL4-4060 series use BLSSH-1624
Autoclavability:	Not Autoclavable
Chemical Compatibility:	Good Compatibility with common cleaners and solutions
Packaging:	
B Suffix	1 liner per bag, 5 bags per pack
BB Suffix	5 liners per double bag 5 liners per double bag; with the exception of BL4-1620IRBB which is 10 liners per double bag (Smaller Bag)
Traceability:	Lot numbers printed on each package and each case
Shelf Life:	36 months
Irradiation Standards:	Minimum irradiation dose 25kGY
Certificates:	Certificate of irradiation processing and Certificate of Conformance shipped with each order and available on website